

**Partial Reference List: Becoming Indestructible,  
White Paper, Medical Wellness and Nutrition Forum,  
San Diego, IHSA Convention, March, 2010.**

1. Adeli K, Taghibiglou C, Van Iderstine SC, Lewis GF. Mechanisms of hepatic very low-density lipoprotein overproduction in insulin resistance. *Trends Cardiovasc Med*. 2001;11:170-6.
2. Annuzzi G, Giacco R, Patti L, et al. Postprandial chylomicrons and adipose tissue lipoprotein lipase are altered in type 2 diabetes independently of obesity and whole-body insulin resistance. *Nutr Metab Cardiovasc Dis*. 2008;18:531-8. Epub 2008 Mar 5.
3. Bayol SA, Simbi BH, Bertrand JA, Stickland NC. Offspring from mothers fed a 'junk food' diet in pregnancy and lactation exhibit exacerbated adiposity that is more pronounced in females. *J Physiol*. 2008;586:3219-30. Epub 2008 May 8.
4. Berge RK, Tronstad KJ, Berge K, et al. The metabolic syndrome and the hepatic fatty acid drainage hypothesis. *Biochimie*. 2005;87:15-20.
5. Bergo M, Wu G, Ruge T, Olivecrona T. Down-regulation of adipose tissue lipoprotein lipase during fasting requires that a gene, separate from the lipase gene, is switched on. *J Biol Chem*. 2002;277:11927-32. Epub 2002 Jan 24.
6. Bergouignan A, Momken I, Schoeller DA, Simon C, Blanc S. Metabolic fate of saturated and monounsaturated dietary fats: the Mediterranean diet revisited from epidemiological evidence to cellular mechanisms. *Prog Lipid Res*. 2009;48:128-47. Epub 2009 Mar 9.
7. Bergouignan A, Trudel G, Simon C, et al. Physical inactivity differentially alters dietary oleate and palmitate trafficking. *Diabetes*. 2009;58:367-76. Epub 2008 Nov 18.
8. Bessesen DH. The role of carbohydrates in insulin resistance. *J Nutr*. 2001;131:2782S-2786S.
9. Black PH. The inflammatory consequences of psychologic stress: relationship to insulin resistance, obesity, atherosclerosis and diabetes mellitus, type II. *Med Hypotheses*. 2006;67:879-91. Epub 2006 Jun 15.
10. Block R, Harris WS, Pottala, JV. Determinants of Blood Cell Omega-3 Fatty Acid Content. *Open Biomarkers Journal*. 2008;1:1-6.
11. Boivin A, Brochu G, Marceau S, Marceau P, Hould FS, Tchernof A. Regional differences in adipose tissue metabolism in obese men. *Metabolism*. 2007;56:533-40.
12. Borggreve SE, De Vries R, Dullaart RP. Alterations in high-density lipoprotein metabolism and reverse cholesterol transport in insulin resistance and type 2 diabetes mellitus: role of lipolytic enzymes, lecithin:cholesterol acyltransferase and lipid transfer proteins. *Eur J Clin Invest*. 2003;33:1051-69.
13. Bremer J. The biochemistry of hypo- and hyperlipidemic fatty acid derivatives: metabolism and metabolic effects. *Prog Lipid Res*. 2001;40:231-68.
14. Cani P, Knauf C, Iglesias MA, Drucker DJ, Delzenne NM, Burcelin R. Improvement of glucose tolerance and hepatic insulin sensitivity by oligofructose requires a functional glucagon-like peptide 1 receptor. *Diabetes*. 2006;55:1484-90.
15. Castro Cabezas M, Halkes CJ, Erkelens DW. Obesity and free fatty acids: double trouble. *Nutr Metab Cardiovasc Dis*. 2001;11:134-42.

16. Chang C, Garcia-Garcia AB, Hamilton E, et al. Metabolic syndrome phenotype in very obese women. *Metab Syndr Relat Disord*. 2007;5:3-12.
17. Clarke P, Glasziou P, Patel A, Chalmers J, Woodward M, et al. Event Rates, Hospital Utilization, and Costs Associated with Major Complications of Diabetes: A Multicountry Comparative Analysis. *PLoS Med*. 2010;7:e1000236. doi:10.1371/journal.pmed.1000236.
18. Collison KS, Saleh SM, Bakheet RH, et al. Diabetes of the liver: the link between nonalcoholic fatty liver disease and HFCS-55. *Obesity (Silver Spring)*. 2009;17:2003-13. Epub 2009 Mar 12.
19. Dourmashkin JT, Chang GQ, Gayles EC, et al. Different forms of obesity as a function of diet composition. *Int J Obes (Lond)*. 2005;29:1368-78.
20. Feinman RD, Makowske M. Metabolic syndrome and low-carbohydrate ketogenic diets in the medical school biochemistry curriculum. *Metab Syndr Relat Disord*. 2003;1:189-97.
21. Frayn KN. Adipose tissue and the insulin resistance syndrome. *Proc Nutr Soc*. 2001;60:375-80.
22. Frick F, Hume R, Robinson IC, Eden S, Oscarsson J. Hepatic and adipose tissue depot-specific changes in lipid metabolism in Late-onset Obese (LOB) rats. *Lipids*. 2008;43:313-24. Epub 2008 Mar 12.
23. Froberg K, Andersen LB. Mini review: physical activity and fitness and its relations to cardiovascular disease risk factors in children. *Int J Obes (Lond)*. 2005;29 Suppl 2:S34-9.
24. Galgani J, Uauy RD, Aguirre CA, Diaz EO. Effect of the dietary fat quality on insulin sensitivity. *British Journal of Nutrition*. 2008;100:471-9.
25. Groop L. Pathogenesis of type 2 diabetes: the relative contribution of insulin resistance and impaired insulin secretion. *Int J Clin Pract Suppl*. 2000:3-13.
26. Han J, Hamilton JA, Kirkland JL, Corkey BE, Guo W. Medium-chain oil reduces fat mass and down-regulates expression of adipogenic genes in rats. *Obes Res*. 2003;11:734-44.
27. Hofmann SM, Tschop MH. Dietary sugars: a fat difference. *J Clin Invest*. 2009;119:1089-92.
28. Hu F, van Dam R, Liu S. Diet and risk of type II diabetes: the role of type of fat and carbohydrate. *Diabetologia*. 2001;44:805-17.
29. James AP, Watts GF, Barrett PH, et al. Effect of weight loss on postprandial lipemia and low-density lipoprotein receptor binding in overweight men. *Metabolism*. 2003;52:136-41.
30. Kohen-Avramoglu R, Theriault A, Adeli K. Emergence of the metabolic syndrome in childhood: an epidemiological overview and mechanistic link to dyslipidemia. *Clin Biochem*. 2003;36:413-20.
31. Landry N, Bergeron N, Archer R, et al. Whole-body fat oxidation rate and plasma triacylglycerol concentrations in men consuming an ad libitum high-carbohydrate or low-carbohydrate diet. *Am J Clin Nutr*. 2003;77:580-6.
32. Large V, Peroni O, Letexier D, Ray H, Beylot M. Metabolism of lipids in human white adipocyte. *Diabetes Metab*. 2004;30:294-309.
33. Li JJ, Huang CJ, Xie D. Anti-obesity effects of conjugated linoleic acid, docosahexaenoic acid, and eicosapentaenoic acid. *Mol Nutr Food Res*. 2008;52:631-45.
34. Lopez-Miranda J, Williams C, Lairon D. Dietary, physiological, genetic and pathological influences on postprandial lipid metabolism. *Br J Nutr*. 2007;98:458-73.
35. Mead JR, Irvine SA, Ramji DP. Lipoprotein lipase: structure, function, regulation, and role in disease. *J Mol Med*. 2002;80:753-69. Epub 2002 Oct 24.

36. Miles JM, Nelson RH. Contribution of triglyceride-rich lipoproteins to plasma free fatty acids. *Horm Metab Res.* 2007;39:726-9.
37. Nellemann B, Gormsen LC, Christiansen JS, Jensen MD, Nielsen S. Postabsorptive VLDL-TG Fatty Acid Storage in Adipose Tissue in Lean and Obese Women. *Obesity.* 2009;29:29.
38. Ouyang X, Cirillo P, Sautin Y, et al. Fructose consumption as a risk factor for non-alcoholic fatty liver disease. *J Hepatol.* 2008;48:993-9. Epub 2008 Mar 10.
39. Pan D, Storlien LH. Dietary lipid profile is a determinant of tissue phospholipid fatty acid composition and rate of weight gain in rats. *J Nutr.* 1993;123:512-9.
40. Patalay M, Lofgren IE, Freake HC, Koo SI, Fernandez ML. The lowering of plasma lipids following a weight reduction program is related to increased expression of the LDL receptor and lipoprotein lipase. *J Nutr.* 2005;135:735-9.
41. Perreault L, Lavelly JM, Kittelson JM, Horton TJ. Gender differences in lipoprotein lipase activity after acute exercise. *Obes Res.* 2004;12:241-9.
42. Psota T, Gebauer SK, Kris-Ehrt P. Dietary omega-3 fatty acid intake and cardiovascular disease risk. *Am J Cardiol.* 2006;98:3i-18i.
43. Pulawa LK, Eckel RH. Overexpression of muscle lipoprotein lipase and insulin sensitivity. *Curr Opin Clin Nutr Metab Care.* 2002;5:569-74.
44. Ramis JM, Bibiloni B, Moreira J, et al. Tissue leptin and plasma insulin are associated with lipoprotein lipase activity in severely obese patients. *J Nutr Biochem.* 2005;16:279-85.
45. Ranganath LR, Beety JM, Wright J, Morgan LM. Nutrient regulation of post-heparin lipoprotein lipase activity in obese subjects. *Horm Metab Res.* 2001;33:57-61.
46. Raz I, Eldor R, Cernea S, Shafrir E. Diabetes: insulin resistance and derangements in lipid metabolism. Cure through intervention in fat transport and storage. *Diabetes Metab Res Rev.* 2005;21:3-14.
47. Saiki A, Ohira M, Endo K, et al. Circulating angiotensin II is associated with body fat accumulation and insulin resistance in obese subjects with type 2 diabetes mellitus. *Metabolism.* 2009;58:708-13.
48. Saito S, Hernandez-Ono A, Ginsberg HN. Dietary 1,3-diacylglycerol protects against diet-induced obesity and insulin resistance. *Metabolism.* 2007;56:1566-75.
49. Schaefer EJ, Gleason JA, Dansinger ML. Dietary fructose and glucose differentially affect lipid and glucose homeostasis. *J Nutr.* 2009;139:1257S-1262S. Epub 2009 Apr 29.
50. Sekula B. Top Prescription Drugs in 2008. ; 2009.
51. Sekula B. Top 10 Generic Drugs in 2008. ; 2009.
52. Sekula B. Statins and Niacin...A concerted effort? ; 2009.
53. Sekula B. Jeff Garlin: Finding success but still struggling. ; 2010.
54. Shapiro A, Mu W, Roncal C, Cheng KY, Johnson RJ, Scarpace PJ. Fructose-induced leptin resistance exacerbates weight gain in response to subsequent high-fat feeding. *Am J Physiol Regul Integr Comp Physiol.* 2008;295:R1370-5.
55. Simopoulos A. Importance of the ratio of omega-6/omega-3 essential fatty acids: evolutionary aspects. *World Rev Nutr Diet.* 2003;92:1-22.
56. Stanhope KL, Havel PJ. Endocrine and metabolic effects of consuming beverages sweetened with fructose, glucose, sucrose, or high-fructose corn syrup. *Am J Clin Nutr.* 2008;88:1733S-1737S.

57. Taubes G. Good Calories, Bad Calories. . New York: Anchor Books; 2008:609.
58. Thorsdottir IT, H; Gunnardsottir, I; Gisladdottir, E; Kiely, M; Parra, MD; Bandarra, NM; Schaafsma, G; Martinez, JA. Randomized trial of weight-loss-diets for young adults varying in fish and fish oil content. *Int J Obes (Lond)*. 2007;10:1560-6.
59. Wajchenberg BL. Subcutaneous and visceral adipose tissue: their relation to the metabolic syndrome. *Endocr Rev*. 2000;21:697-738.
60. Wang H, Eckel RH. Lipoprotein lipase: from gene to obesity. *Am J Physiol Endocrinol Metab*. 2009;297:E271-88. Epub 2009 Mar 24.
61. Wang H, Knaub LA, Jensen DR, et al. Skeletal muscle-specific deletion of lipoprotein lipase enhances insulin signaling in skeletal muscle but causes insulin resistance in liver and other tissues. *Diabetes*. 2009;58:116-24. Epub 2008 Oct 24.
62. Westerbacka J, Kolak M, Kiviluoto T, et al. Genes involved in fatty acid partitioning and binding, lipolysis, monocyte/macrophage recruitment, and inflammation are overexpressed in the human fatty liver of insulin-resistant subjects. *Diabetes*. 2007;56:2759-65. Epub 2007 Aug 17.
63. Xue CY, Kageyama H, Kashiba M, et al. Different origin of hypertriglyceridemia induced by a high-fat and a high-sucrose diet in ventromedial hypothalamic-lesioned obese and normal rats. *Int J Obes Relat Metab Disord*. 2001;25:434-8.
64. Zimmermann R, Strauss JG, Haemmerle G, et al. Fat mobilization in adipose tissue is promoted by adipose triglyceride lipase. *Science*. 2004;306:1383-6.